# 24" Custom Panel Dishwasher

800 Series - Custom Panel SHVM78W53N





SHVM78W53N Custom Panel

- The flexible 3rd rack allows you to accommodate deeper items, while adjustable tines let you customize the rack's loading space.
- **Features & Benefits**

42 dBA: Quietest dishwasher brand in North America.\*

A flexible 3rd rack with folding tines adds 30% more loading area.

Touch Control Technology allows for quick cycle programming.

EasyGlide<sup>™</sup> rack provides a smooth glide for easier loading & unloading.

RackMatic<sup>®</sup> offers 3 height levels, for 9 possible rack positions.

\*Based on an average of sound ratings of 24" Full Size Stainless Steel Tub dishwashers contained in major brands US & Canadian websites. Major brands defined as TraQline Top 5 Market Share (US & Canada) December 2016.

| General Properties                    |                                 |
|---------------------------------------|---------------------------------|
| Number of wash cycles                 | 6                               |
| Number of options                     | 5                               |
| dBA                                   | 42                              |
| Third rack                            | Flexible 3rd Rack               |
| Rack adjustability                    | Rackmatic®                      |
| Tub material                          | Stainless Steel                 |
| Control type                          | Touch Control                   |
| Concealed heating element             | Yes                             |
| Leak protection system                | 24/7 AquaStop®                  |
| Water softener                        | No                              |
| Five-level wash                       | Yes                             |
| ChildLock                             | No                              |
| Special features                      | InfoLight®, Extra<br>Dry Option |
| Efficiency                            |                                 |
| Water usage per cycle                 | 2.9                             |
| Energy efficiency class               | Tier 1                          |
| ENERGY STAR® qualified                | Yes                             |
| Total annual energy consumption (kWh) | 269                             |
| Total annual water<br>consumption (g) | 623.5                           |

| Technical Details                               |                                  |
|---|----------------------------------|
| Watts (W)                                       | 1440 W                           |
| Current (A)                                     | 12 Amps                          |
| Volts (V)                                       | 120 V                            |
| Frequency (Hz)                                  | 60 Hz                            |
| Power cord length                               | N/A                              |
| Minimum water pressure<br>(lb/sin)              | 14                               |
| Length outlet hose (in)                         | 79"                              |
| Dimensions & Weight                             |                                  |
| Overall appliance<br>dimensions (HxWxD)<br>(in) | 33 7/8" x 23 9/16"<br>x 23 1/16" |
| Required cutout size<br>(HxWxD) (in)            | 33 7/8" x 23 5/8"<br>x 24"       |
| Adjustable feet                                 | Yes                              |
| Net weight (lbs)                                | 89 lbs                           |
| Accessories–Optional                            |                                  |
| Drain Hose Extension Kit                        | SGZ1010UC                        |
| Dishwasher Accessory<br>Kit                     | SMZ5000                          |
| Anti-Tarnish Silverware<br>Cassette             | SMZ5002UC                        |
| Power Cord with Cold<br>Plug                    | SMZPC002UC                       |
| Stainless Steel Straight<br>Bosch Bar Handle    | SMZ1007UC                        |





Number of place settings 16

#### For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri 5am to 6pm PST Sat 6am to 3pm PST

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage) to the finish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "B" stock appliances.

#### For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904


Capacity

# 24" Custom Panel Dishwasher

800 Series - Custom Panel SHVM78W53N



### **Installation Details**



#### For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri 5am to 6pm PST Sat 6am to 3pm PST

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage) to the finish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "B" stock appliances.

#### For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

# **36" Electric Cooktop**

800 Series - Black Frameless NET8668UC





NET8668UC Black

Also available in: Black with Stainless Steel Frame NET8668SUC

The 800 Series electric cooktop is sleek in design, and features SpeedBoost<sup>®</sup> which adds even more power to speed up the cooking process.

### **Features & Benefits**

Bridge element accommodates oblong pans and many diameters of cookware.

Each zone's timer automatically shuts off when cooking is done.

SpeedBoost<sup>®</sup> offers shorter heat-up times for liquids.

PreciseSelect<sup>®</sup> offers 17 different direct cooking level settings.

| Element Performance                         |                 |
|---|-----------------|
| Power of Front Left<br>heating element      | 1,800 W         |
| Power of Back Left<br>heating element       | 1,800 W         |
| Power of Center<br>heating element          | 3,600 / 1,400 W |
| Power of Back Right<br>heating element      | 1,200 W         |
| Power of Front Right heating element        | 1,900 / 800 W   |
| Element Size                                |                 |
| Dimension of Front<br>Left heating element  | 7"              |
| Dimension of Back<br>Left heating element   | 7"              |
| Dimension of Center<br>heating element      | 9", 6"          |
| Dimension of Back<br>Right heating element  | 6"              |
| Dimension of Front<br>Right heating element | 8", 5"          |
| Technical Details                           |                 |
| Watts                                       | 10,200 W        |
| Circuit breaker                             | 50 A            |
| Volts                                       | 208-240 V       |
| Frequency                                   | 60 Hz           |
| Plug type                                   | No plug         |
| Energy source                               | Electric        |
|   |                 |

| Dimensions & Weight                     |                             |
|---|-----------------------------|
| Overall appliance<br>dimensions (HxWxD) | 1/4" +4" x 37" x<br>21 1/4" |
| Required cutout size<br>(HxWxD)         | 4" x 34 7/8" x 20"          |
| Minimum distance from counter front     | 2 1/4"                      |
| Minimum distance from rear wall         | 2"                          |
| Net weight                              | 37 lbs                      |
| Accessories - Ontional                  |                             |

Accessories – Optional





9" AutoChef® pan

HEZ390210 8" AutoChef® pan



HEZ390230 10" AutoChef® pan



For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri 5am to 6pm PST Sat 6am to 3pm PST

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage) to the finish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "B" stock appliances.


#### For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

# **36" Electric Cooktop**

800 Series - Black Frameless NET8668UC



### **Installation Details**



#### For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri 5am to 6pm PST Sat 6am to 3pm PST

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage) to the finish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty secifically excludes any display, floor, "As Is", or "B" stock appliances.

#### For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

**30" Double Wall Oven Right Swing Door** 

Benchmark<sup>™</sup> Series - Stainless Steel HBLP651RUC





HBLP651RUC Stainless Steel

The Bosch wall oven features a SideOpening door for easier cavity access and a highresolution TFT user interface

### **Features & Benefits**

SideOpening door offers better ergonomic access to the oven cavity.

The color TFT control panel with SteelTouch™ buttons is easy to use.

A full-extension telescopic rack offers safe access to the oven cavity.

The wall oven is designed to be installed flush with cabinetry.

Bosch wall ovens are compatible with most competitors' cutouts.

| General Properties                        |  | Oven Performance                              |  |
|---|--|---|--|
| cavity (hi<br>Wa<br>Pro<br>Co<br>Co<br>Co | Bake, Variable Broil<br>(hi & low), Roast,<br>Warm, Sabbath,<br>Proof Dough,<br>Convection Bake,<br>Convection Broil,<br>Convection Roast,<br>Pizza, Multi Rack<br>Genuine European<br>Convection,<br>Convection<br>Conversion,<br>AutoProbe, Fast | Bake Element Wattages -<br>upper cavity       | 2,400 W  |
|   |  | Broil Element Wattages -<br>upper cavity      | 3,800 W  |
|   |  | Convection Element<br>Wattages - upper cavity | 2,000 W  |
|   |  | Bake Element Wattages -<br>lower cavity       | 2,400 W  |
|   |  | Broil Element Wattages -<br>lower cavity      | 3,800 W  |
|   | Preheat, EcoChef,<br>Speed Convection  | Convection Element<br>Wattages - lower cavity | 2,000 W  |
| A 11 11 1                                 | (Frozen Foods)   | Technical Details                             |  |
| Cooking Modes - lower<br>cavity           | Identical to Upper<br>Cavity (Exception:   | Watts (W)                                     | 9,125 W  |
|   | Lower Cavity<br>Does not Feature<br>Temperature Probe  | Circuit Breaker (A)                           | 40 A   |
|   |  | Volts (V)                                     | 240/208 V  |
|   | and EcoChef)   | Frequency (Hz)                                | 60 Hz  |
| Cleaning Type - upper<br>cavity           | Self-Clean   | Power Cord Length (in)                        | 50"  |
| Cleaning Type - lower                     | Self-Clean   | Plug Type                                     | Fixed Connection,<br>No Plug   |
| Telescopic Rack                           | 1  | Energy Source                                 | Electric   |
| Illumination Type - upper                 | Halogen  | Dimensions & Weight                           |  |
| cavity<br>Illumination Type - lower       | Halogen  | Overall Appliance<br>Dimensions (HxWxD)(in)   | 52 1/16" x 29 3/4"<br>x 23 1/2"  |
| cavity                                    |  | Required Cutout Size                          | 49 3/4" - 51 1/2" x  |
| Interior Lights - upper<br>cavity         | 2  | (HxWxD) (in)                                  | 28 1/2" x 23 1/2"<br>261 lbs   |
| Interior Lights - lower                   | 2  | Net Weight (lbs)                              | 201 105  |
| cavity                                    | 2  | Accessories-Included                          |  |
|   |  | Included                                      | Upper Oven: 3<br>x Oven Racks,<br>Temperature<br>Probe, Broiler Pan<br>Lower Oven: 3 x |

### Accessories–Optional

HEZTR301 30" Telescopic Rack

Oven Racks

For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri 5am to 6pm PST Sat 6am to 3pm PST

Notes: All height, width and depth dimensions are shown in inches. Please refer to installation instructions prior to making cutout. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage to the finish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "B" stock appliances.


For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

# **30" Double Wall Oven Right Swing Door**

Benchmark<sup>™</sup> Series - Stainless Steel HBLP651RUC



### **Installation Details**



#### For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri 5am to 6pm PST Sat 6am to 3pm PST

Notes: All height, width and depth dimensions are shown in inches. Please refer to installation instructions prior to making cutout. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage to the finish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty excludes any display, floor, "As Is", or "B" stock appliances.

#### For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

#### Model no: HP36ILTX1

0

(refer page 1 for imperial measurements)

| Product Dimensions  | mm                 |
|---|--------------------|
| Overall height of range hood  | 500                |
| Overall width of range hood   | 830                |
| © Overall depth of range hood   | 280                |
| I Height of range hood chassis  | 350                |
| (E) Width of range hood chassis   | 792                |
| © Depth of range hood chassis   | 255                |
| ⑥ Depth of flange   | 13                 |
| (H) Width of flange   | 19                 |
| I Thickness of flange   | 2                  |
| ④ Height of side of chassis   | 195                |
| 8 Width of top of chassis   | 298                |
| © Distance from ducting outlet centre to rear of chassis  | 80                 |
| Height of ducting adaptor   | 77                 |
| <sup>®</sup> Distance from hood centreline to front of power connection<br>box                              | 50                 |
| <ul> <li>Distance from hood centreline to side of power connection box</li> </ul>                           | 90                 |
| P Diameter of ducting outlet  | 152                |
| <ul> <li>Height adjustability of clip that secures range hood<br/>(cabinet base panel thickness)</li> </ul> | min 15<br>- max 40 |


| Cutout Dimensions  | mm  |
|--|-----|
| Overall width of cutout*   | 800 |
| Overall depth of cutout*   | 260 |
| * Note cutout position is centred to the range hood width and depth. |     |

| Clearance Dimensions                          | mm        |
|---|-----------|
| Height from top of cooktop to base of product | 660 - 762 |

INDICATES CUTOUT ---INDICATES CABINETRY / PRODUCT DATUM --INDICATES CABINETRY CLEARANCES ----


#### DATE: 02.09.2016

IMPORTANT NOTE: Throughout this guide, dimensions may vary by  $\pm 2mm$ (1/16"). Please read the installation manual for detailed information on installing the product. For full installation instructions & specifications visit fisherpaykel.com



**B** 830

P-



G

400 100 200 millimetres

A 500



#### **36'' PERIMETER INSERT RANGE HOOD**

### Model no:


HP36ILTX1

(refer page 2 for imperial measurements)

| Product Dimensions                                      | mm  |
|---|-----|
| Overall width of range hood                             | 830 |
| Overall depth of range hood                             | 280 |
| © Distance from front of range hood to centre of lights | 40  |
| <ul> <li>Distance between lights</li> </ul>             | 675 |

| Cutout Dimensions        | mm  |
|--------------------------|-----|
| Overall width of cutout* | 800 |
| Overall depth of cutout* | 260 |

\* Note cutout position is centred to the range hood width and depth.



BOTTOM VIEW



#### INDICATES CUTOUT ------

#### DATE: 02.09.2016

IMPORTANT NOTE: Throughout this guide, dimensions may vary by ±2mm (1/16"). Please read the installation manual for detailed information on installing the product. For full installation instructions & specifications visit fisherpaykel.com



# **18" Built-In Custom Panel Single Door Freezer**



Benchmark® Series - Custom Panel B18IF900SP

B18IF900SP Custom Panel

The 18" Custom Panel single door built-in freezer works efficiently to keep food fresh longer, and prevent the transfer of flavors and odors.

### **Features & Benefits**

Remotely monitor and control your refrigerator with the Home Connect<sup>™</sup> app.

Bright LED lighting illuminates the entire interior.

Optiflex<sup>®</sup> hinge allows for flush-mount doors, without damaging surrounding cabinetry.

ENERGY STAR<sup>®</sup> qualified for energy efficiency.

| <b>General Properties</b>        |   |
|----------------------------------|---|
| Home Connect™ (Wi-Fi<br>Enabled) | Yes   |
| Reversible door hinge            | Yes   |
| Water filter                     | Yes   |
| Lighting                         | All-LED sidewall<br>and theater<br>lighting |
| Number of shelves                | 6   |
| Defrost process                  | Automatic                                   |
| Number of drawers                | 2   |
| Adjustable shelves               | 2   |
| Shelf material                   | Glass w/ metal<br>trim, metal bin           |
| Type of shelves                  | Glass w/ metal<br>trim                      |
| Ice maker                        | Yes   |
| Quick ice                        | Yes   |
| Capacity                         |   |
| Total capacity                   | 8.6 cu. ft.                                 |
| Technical Details                |   |
| Watts (W)                        | 367 W                                       |
| Current (A)                      | 15 A  |
| Volts (V)                        | 120 V                                       |
| Frequency (Hz)                   | 60 Hz                                       |
| Power cord length (in.)          | 118"  |
| Plug type                        | 3-Prong                                     |



| Dimensions & Weight                       |                               |  |
|---|-------------------------------|--|
| Appliance dimensions<br>(H x W x D) (in.) | 84" x 17 3/4" x<br>24 3/4"    |  |
| Required cutout size<br>(H x W x D) (in.) | 84" x 18" x 24 3/4"<br>or 25" |  |
| Net weight (lbs)                          | 332 lbs                       |  |
| Efficiency                                |                               |  |
| ENERGY STAR® qualified                    | Yes                           |  |
| Energy consumption<br>(kWh/yr)            | 443 kWh                       |  |



Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.


For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

# **18" Built-In Custom Panel Single Door Freezer**

Benchmark<sup>®</sup> Series – Custom Panel B18IF900SP

# BOSCH

### **Installation Details**



**IMPORTANT:** Handleless Panels should not be installed on units without the soft close capability. If you are uncertain if you have a refrigeration unit with soft close capability please contact our customer team by calling 1-800-735-4328.

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

# 30" Built-In Custom Panel Single Door Refrigerator



Benchmark® Series - Custom Panel B30IR900SP



B30IR900SP Custom Panel

The 30" Custom Panel Single door built-in refrigerator works efficiently to keep food fresh longer, and prevent the transfer of flavors and odors.

### **Features & Benefits**

Remotely monitor and control your refrigerator with the Home Connect™ app.

Bright LED lighting illuminates the entire interior.

Optiflex<sup>®</sup> hinge allows for flush-mount doors, without damaging surrounding cabinetry.

ENERGY STAR<sup>®</sup> qualified for energy efficiency.

| General Properties               |                                   |
|----------------------------------|-----------------------------------|
| Home Connect™ (Wi-Fi<br>Enabled) | Yes                               |
| Reversible door hinge            | Yes                               |
| Water filter                     | No                                |
| Lighting                         | LED sidewall and theater lighting |
| Defrost process                  | Frost-free                        |
| Number of shelves                | 7                                 |
| Adjustable shelves               | 3                                 |
| Shelf material                   | Glass w/ metal<br>trim            |
| Type of shelves                  | 3 adjustable, 4 full width        |
| Number of Drawers                | 3                                 |
| Gallon storage bins              | Yes                               |
| Humidity control drawer          | Yes                               |
| Capacity                         |                                   |
| Total capacity                   | 16.8 cu. ft.                      |
| Technical Details                |                                   |
| Watts (W)                        | 180 W                             |
| Current (A)                      | 15 A                              |
| Volts (V)                        | 120 V                             |
| Frequency (Hz)                   | 60 Hz                             |
| Power cord length (in.)          | 118"                              |
| Plug type                        | 3-Prong                           |



| Dimensions & Weight                       |                               |
|---|-------------------------------|
| Appliance dimensions<br>(H x W x D) (in.) | 84" x 29 3/4" x<br>24 3/4"    |
| Required cutout size<br>(H x W x D) (in.) | 84" x 30" x 24 3/4"<br>or 25" |
| Net weight (lbs)                          | 261 lbs                       |
| Efficiency                                |                               |
| ENERGY STAR® qualified                    | Yes                           |
| Energy consumption<br>(kWh/yr)            | 310 kWh                       |




Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

# **30" Built-In Custom Panel Single Door Refrigerator**

Benchmark<sup>®</sup> Series – Custom Panel B30IR900SP

### **Installation Details**



**IMPORTANT:** Handleless Panels should not be installed on units without the soft close capability. If you are uncertain if you have a refrigeration unit with soft close capability please contact our customer team by calling 1-800-735-4328.

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904



# 24" Speed Oven

500 Series - Stainless Steel HMC54151UC





HMC54151UC Stainless Steel

The 24" speed oven pairs the cooking qualities of a conventional oven with the speed of a microwave, designed for smaller spaces.

| Features & Benefits  |  |
|--|--|
| SpeedChef™ cooking<br>modes offer faster<br>cooking times for your<br>convenience. |  |
|  |  |

Installs flush with kitchen cabinetry.

2-in-1 microwave and convection oven for a variety of cooking options.

Electrical connection -120 Volt NEMA 5-20 three prong plug.

| General Properties          |                             |
|-----------------------------|-----------------------------|
| Cavity material             | Stainless steel             |
| Max. microwave power<br>(W) | 1,000 W                     |
| Capacity                    |                             |
| Cavity capacity (cu. ft.)   | 1.6                         |
| Turntable diameter (in.)    | 14 3/16"                    |
| Technical Details           |                             |
| Watts (W)                   | 1,920 W                     |
| Circuit breaker (A)         | 20 A                        |
| Volts (V)                   | 120 V                       |
| Frequency (Hz)              | 60 Hz                       |
| Power cord length (in)      | 48"                         |
| Plug type                   | NEMA 5-20 – 3<br>prong plug |

| Dimensions & Weight                                  |  |
|--|--|
| Overall appliance<br>dimensions (HxWxD)<br>(in)      | 17 7/8" x 23 7/16"<br>x 22 1/16"                             |
| Required cutout size<br>(HxWxD) (in)                 | (Standard) 17 3/4"<br>x 22 5/16" x 22"                       |
|  | (Flush) 18 7/16" x<br>24" x 22 3/4"                          |
| Oven overall interior<br>dimensions (HxWxD)<br>(in.) | 9 7/8" x 16 1/2" x<br>16 1/2"                                |
| Turntable – Metal Max.<br>Cookware                   | 12 3/4" dia.   |
| Turntable – Ceramic<br>Max. Cookware                 | 12 1/2" dia.   |
| Rack – Rectangular<br>Cookware Max.                  | 15" x 12"  |
| Net weight (lbs)                                     | 83 lbs.  |
| Accessories-Included                                 |  |
| Included   | Metal turntable,<br>cooking rack,<br>ceramic cooking<br>tray |



#### For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri 5am to 6pm PST Sat 6am to 3pm PST

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage) to the finish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "B" stock appliances.


#### For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

# 24" Speed Oven

500 Series - Stainless Steel HMC54151UC



### **Installation Details**



#### For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri 5am to 6pm PST Sat 6am to 3pm PST

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage) to the finish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "B" stock appliances.

#### For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

# **Built-in Coffee Machine**

Stainless Steel BCM8450UC





BCM8450UC Stainless Steel

The Bosch Built-In Coffee Machine is sleek in design and provides a luxurious coffee experience from the comfort of your home.

| Features & Benefits        |  |
|----------------------------|--|
| Within minutes prepare     |  |
| espressos, cappuccinos,    |  |
| lattes, macchiatos & more. |  |

Brew coffee from anywhere in your home with the Home Connect app.

Consistent brewing temperature for a better tasting coffee.

Prepare your favorite cup of coffee with the simple touch of a button.

MyFavorites stores up to 8 of your favorite coffee preferences.

| Design | Tin |
|--------|-----|
| Design |     |
|        |     |

The Bosch Built-in Coffee Machine and 30" Trim Kit pair perfectly with a Bosch Warming or Storage Drawer

30" Warming Drawer – HWD5051UC

30" Storage Drawer · HSD5051UC

| Caffé Latte,<br>Cappuccino, Coffee,<br>Espresso, Espresso<br>Macchiato, Latte<br>Machiato, Ristreto,<br>Hot Water, Warm Milk,<br>Steam Clean, Clean,<br>Descaling   |
|---|
| One or Two Cups,<br>Adjustable Cup Sizes,<br>Brewing Temperature,<br>Coffee Strength, Grind<br>Adjustment   |
| Home Connect,<br>Personalized<br>Beverages, Remote<br>Settings, Language,<br>Light and Display<br>Brightness,<br>Water Hardness,<br>Temperature, Time, Key<br>Sounds, Demo, Child-<br>proof Lock                                |
| Remote Start,<br>Additional Beverage<br>Options, Adjustable<br>Settings, Remote<br>Warnings, Reminders,<br>Play List, Coffee<br>Recipes, Remote<br>Diagnosis, Tips and<br>Trick Videos, User and<br>Care Manual, Shop<br>Online |
| Water Level, Bean<br>Container, Drip Tray,<br>Coffee Grounds  |
|   |
| Large Color Touch<br>Screen   |
| Stainless Steel Ring  |
| Adjustable  |
| Yes   |
| Adjustable  |
|   |
| Adjustable  |
| Adjustable<br>Yes   |
|   |

| Capacity   |                                   |  |
|--|-----------------------------------|--|
| Capacity of Water<br>Container                         | 5/8 gal.                          |  |
| Bean Container   | 17.6 oz.                          |  |
| Stainless Steel Milk<br>Container                      | 17 oz.                            |  |
| Powder Coffee  | 1 Scoop                           |  |
| Technical Details                                      |                                   |  |
| Watts (W)  | 1,600 W                           |  |
| Circuit Breaker (A)                                    | 15 A                              |  |
| Current (A)  | 10 A                              |  |
| Volts (V)  | 120V                              |  |
| Frequency (Hz)   | 60 Hz                             |  |
| Power cord length<br>(in)                              | 39"                               |  |
| Plug type  | 120V - 3 prong                    |  |
| Energy source  | Electric                          |  |
| Pump Pressure (bar)                                    | 275 psi (19 bar)                  |  |
| Grinding System  | Ceramic Disks                     |  |
| Cleaning System  | Automatic                         |  |
| Milk Clean System                                      | Steam                             |  |
| Dimensions & Weight                                    | :                                 |  |
| Overall appliance<br>dimensions<br>(HxWxD) (in)        | 23 3/8" W x 17 7/8" H<br>x 14" D* |  |
| Net weight (lbs)                                       | 43 lbs.*                          |  |
| Accessories - Included                                 |                                   |  |
| Stainless Steel Milk Container, Powder<br>Coffee Scoop |                                   |  |
| 1 Water Hardness Tes                                   | st Strip                          |  |
| Accessories - Optional                                 |                                   |  |
| 30" SS Trim Kit  | HEZCMT3050                        |  |
| Stainless Steel Milk<br>Container                      | 11005967                          |  |
| Descaling Tablets                                      | 00311823                          |  |
| Cleaning Tablets                                       | 00311820                          |  |
| Water Filter   | 12008246                          |  |
| *Not including transformer                             |                                   |  |




# **Built-in Coffee Machine**

Stainless Steel BCM8450UC



### **Installation Details**



For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri 5am to 6pm PST Sat 6am to 3pm PST

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage) to the finish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "B" stock appliances.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904