

# 24" Custom Panel Dishwasher






800 Series DLX – Custom Panel SHV878ZD3N



**BOSCH**

Invented for life

## Installation Details



**Accessories:** To purchase Bosch accessories, cleaners & parts please visit [www.bosch-home.com/us/store](http://www.bosch-home.com/us/store) or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

**Notes:** All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

**Warranties:** Please see Use & Care manual or Bosch website for statement of limited warranty.

**For more information on our entire line of products, go to [www.bosch-home.com/us](http://www.bosch-home.com/us) or call 1-800-944-2904**

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.



# 36" Counter-Depth 3-Door Refrigerator

800 Series – Stainless Steel B36CT80SNS



**BOSCH**  
Invented for life

## Installation Details



**Accessories:** To purchase Bosch accessories, cleaners & parts please visit [www.bosch-home.com/us/store](http://www.bosch-home.com/us/store) or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

**Notes:** All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

**Warranties:** Please see Use & Care manual or Bosch website for statement of limited warranty.

**For more information on our entire line of products, go to [www.bosch-home.com/us](http://www.bosch-home.com/us) or call 1-800-944-2904**



© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

# 30" Steam Convection Combination Oven

Benchmark™ Series - Stainless Steel HSLP751UC



## Installation Details



For help and assistance with Bosch accessories please visit: [www.bosch-eshop.com/eshop/bosch/us](http://www.bosch-eshop.com/eshop/bosch/us) or call 1-800-944-2904 Mon-Fri 5am to 6pm PST Sat 6am to 3pm PST

Notes: All height, width and depth dimensions are shown in inches. Please refer to installation instructions prior to making cutout. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage to the finish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "B" stock appliances.

For more information on our entire line of products, go to [www.bosch-home.com/us](http://www.bosch-home.com/us) or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.


# 30" Warming Drawer

500 Series - Stainless Steel HWD5051UC




## Installation Details

Overall Product Dimensions



\* Power cord on warming drawer is 84" (2134 mm)

Standard Installation





measurements in inches (mm)

Flush Install

Top View

Side View



For help and assistance with Bosch accessories please visit: [www.bosch-eshop.com/eshop/bosch/us](http://www.bosch-eshop.com/eshop/bosch/us) or call 1-800-944-2904 Mon-Fri 5am to 6pm PST Sat 6am to 3pm PST

Notes: All height, width and depth dimensions are shown in inches. Please refer to installation instructions prior to making cutout. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage to the finish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "B" stock appliances.

For more information on our entire line of products, go to [www.bosch-home.com/us](http://www.bosch-home.com/us) or call 1-800-944-2904



© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

# 30" Warming Drawer

500 Series - Stainless Steel HWD5051UC



## Installation Details




For help and assistance with Bosch accessories please visit: [www.bosch-eshop.com/eshop/bosch/us](http://www.bosch-eshop.com/eshop/bosch/us) or call 1-800-944-2904 Mon-Fri 5am to 6pm PST Sat 6am to 3pm PST

Notes: All height, width and depth dimensions are shown in inches. Please refer to installation instructions prior to making cutout. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage to the finish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "B" stock appliances.

For more information on our entire line of products, go to [www.bosch-home.com/us](http://www.bosch-home.com/us) or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.



**Dempo**  
PITT 4-5325-1


Technical drawing of a built-in oven showing dimensions in inches and millimeters. The drawing includes a side view and a top view of the oven unit, which is shown installed into a countertop cutout.

**Dimensions:**

- Top View (Cutout Dimensions):**
  - Overall width:  $35 \frac{1}{8}"$  (892 mm)
  - Overall depth:  $12 \frac{3}{16}"$  (309 mm)
  - Distance from front edge to oven front:  $1 \frac{3}{8}"$  (35 mm)
  - Distance from side edge to oven side:  $1 \frac{7}{16}"$  (37 mm)
  - Distance from front edge to oven front (alternative):  $1 \frac{3}{4}"$  (45 mm)
  - Distance from side edge to oven side (alternative):  $5 \frac{3}{8}"$  (136 mm)
  - Distance from front edge to oven front (alternative):  $11 \frac{7}{16}"$  (290 mm)
- Side View (Oven Dimensions):**
  - Overall height:  $35 \frac{1}{8}"$  (892 mm)
  - Distance from countertop to oven top:  $3 \frac{15}{16}"$  (100 mm)
  - Distance from oven top to countertop:  $1 \frac{3}{16}"$  (30 mm)
  - Distance from oven front to countertop:  $3 \frac{5}{16}"$  (84 mm)
  - Distance from oven side to countertop:  $19 \frac{13}{16}"$  (503 mm)
  - Distance from oven back to countertop:  $9 \frac{1}{2}"$  (242 mm)
  - Distance from oven back to countertop (alternative):  $7 \frac{1}{8}"$  (22 mm)
  - Distance from oven front to countertop (alternative):  $1 \frac{7}{8}"$  (22 mm)
  - Distance from oven side to countertop (alternative):  $1 \frac{3}{4}"$  (45 mm)
  - Distance from oven back to countertop (alternative):  $11 \frac{7}{16}"$  (290 mm)
  - Distance from oven front to countertop (alternative):  $1 \frac{3}{8}"$  (35 mm)
  - Distance from oven side to countertop (alternative):  $1 \frac{7}{16}"$  (37 mm)
  - Distance from oven back to countertop (alternative):  $12 \frac{3}{16}"$  (309 mm)
  - Distance from oven front to countertop (alternative):  $1 \frac{3}{4}"$  (45 mm)
  - Distance from oven side to countertop (alternative):  $5 \frac{3}{8}"$  (136 mm)
  - Distance from oven back to countertop (alternative):  $11 \frac{7}{16}"$  (290 mm)
- Other Dimensions:**
  - Oven width:  $\varnothing 5 \frac{7}{8}"$  (150 mm)
  - Oven depth:  $19 \frac{13}{16}"$  (503 mm)
  - Oven height:  $35 \frac{1}{8}"$  (892 mm)
  - Distance from oven front to countertop:  $1 \frac{3}{8}"$  (35 mm)
  - Distance from oven side to countertop:  $1 \frac{7}{16}"$  (37 mm)
  - Distance from oven back to countertop:  $12 \frac{3}{16}"$  (309 mm)
  - Distance from oven front to countertop (alternative):  $1 \frac{3}{4}"$  (45 mm)
  - Distance from oven side to countertop (alternative):  $5 \frac{3}{8}"$  (136 mm)
  - Distance from oven back to countertop (alternative):  $11 \frac{7}{16}"$  (290 mm)
  - Distance from oven front to countertop (alternative):  $1 \frac{3}{8}"$  (35 mm)
  - Distance from oven side to countertop (alternative):  $1 \frac{7}{16}"$  (37 mm)
  - Distance from oven back to countertop (alternative):  $12 \frac{3}{16}"$  (309 mm)
  - Distance from oven front to countertop (alternative):  $1 \frac{3}{4}"$  (45 mm)
  - Distance from oven side to countertop (alternative):  $5 \frac{3}{8}"$  (136 mm)
  - Distance from oven back to countertop (alternative):  $11 \frac{7}{16}"$  (290 mm)

**Notes:**

- Dimensions are given in inches and millimeters.
- Dimensions are rounded to the nearest millimeter.
- Dimensions are given in inches and millimeters.
- Dimensions are rounded to the nearest millimeter.



## SIGNATURE SERIES SOTTILE 18" DEPTH BEVERAGE CENTER

**HH24BS-3** INDOOR MODEL

**HH24BO-3** OUTDOOR MODEL



*Glass Door Model*



*Solid Door Model*

### GENERAL SIGNATURE SERIES SOTTILE FEATURES



- 32" height including leveling legs
- **Industry Exclusive** 18" depth for design flexibility
- Plug recessed for true 18" depth
- **Industry Exclusive** front-vented RAPIDcool forced-air refrigeration system provides best-in-class cooling performance
- Commercial-grade stainless steel interior and exterior
- All models available with stainless steel or panel ready door. Panel ready doors come ready to accept customer-supplied overlay and handle
- **Industry Exclusive** full extension refrigerator and wine shelves provide easy access for stocking and retrieving product. Shelves glide smoothly in and out of cabinet on stainless steel ball bearing glides
- Zero-clearance hinging allows for abutment with surrounding cabinetry
- Adjustable Crisp White and Cool Blue LED lighting
- Low E, double pane UV-resistant glass provides exceptional insulation and protection from light
- State-of-the-art digital control module
- Comprehensive Full Three Year Warranty plus additional three years on sealed system

### HH24BS/BO FEATURES

- Available with stainless steel solid door, panel ready solid door, stainless steel glass door or panel ready glass door
- Includes two (2) full-extension wine shelves and one (1) full-extension refrigerator shelf
- Wine shelves feature stainless steel fronts
- Shelves are soft-coat vinyl dipped to gently cradle bottles and protect them from vibration transfer
- Product capacity is 10 wine bottles (750 ml.) and 41 cans (12 oz.)
- Beverage Center temperature 33°- 48°F

### ACCESSORIES

(L)	Factory Installed Lock
67992-L/R	Stacking Kit for HH24 models
67115-24	Wood Faces for Wine Shelves (7/pk)
67360	6" Toe Kick and Riser

Perlick accessories are available for purchase through an authorized Perlick dealer. For a full list of accessories and to find a dealer near you, visit [perlick.com/residential](http://perlick.com/residential)

## PRODUCT SPECIFICATIONS

Product Width	23-7/8" (606 mm.)
Product Height	32" (813 mm.)
Product Depth	18" (457 mm.)
Opening Width	24" (610 mm.)
Opening Height	32-1/4" (819 mm.)
Opening Depth	18" (457 mm.)
Refrigerated Volume	3.1 cu. ft.
Door Swing Clearance	25" (635 mm.) minimum
Electrical	115V, 60Hz., 1 Phase, 2.3 amps
Compressor	525 BTU, standard
Plumbing	None Required
Annual Energy Usage	283 kWh/yr
Shipping Weight	185 lbs (83.91 kg.)

## INDOOR MODELS


HH24BS-3-1L*	Stainless steel solid door, hinge left
HH24BS-3-2L*†	Panel ready solid door, hinge left
HH24BS-3-3L*	Stainless steel glass door, hinge left
HH24BS-3-4L*†	Panel ready glass door, hinge left

## OUTDOOR MODELS

HH24BO-3-1L*	Stainless steel solid door, hinge left
HH24BO-3-2L*†	Panel ready solid door, hinge left
HH24BO-3-3L*	Stainless steel glass door, hinge left
HH24BO-3-4L*†	Panel ready glass door, hinge left

\* Also available hinge right (R)


† This unit comes ready to accept customer-provided overlay panel and handle



California Prop 65 Notice:

**WARNING:** The materials used in this product may contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

FORM NO. Z2521  
REV. A-09/07/2018



NOTE: VALID FOR ANY ORDERS  
ENTER ON OR AFTER JAN. 1, 2016

UNLESS OTHERWISE SPECIFIED:  
DIMENSIONS ARE IN INCHES  
TOLERANCES:  
.X = ±.05,  
.XX = ±.01,  
.XXX = ±.005,  
ANGULAR: ±.5°, FRACTIONS: ±1/64  
BREAK SHARP EDGES - .015 X 45°.  
RADIUS SHARP FILLETS - .015 TO .031

MATERIAL:  
Wood

QTY.:

FINISH:

SIGNATURES

DESIGNED JMP

DRAWN JMP

CHECKED

DATE

11/10/2015

11/10/2015

11/10/2015

Perlick Corporation  
Milwaukee, Wisconsin

TITLE:  
SOLID WOOD OVERLAY  
ADA DOOR

REFERENCE:

PART NO.  
68134A-5

DWG NO.

68134A

PURCHASE REC.:

SCALE =

1:5

SHEET 5 OF 16



RELEASE FOR PRODUCTION

A

11/10/2015

JMP

REVISIONS



DETAIL A  
SCALE 1 : 1.5

**NOTE: VALID FOR ANY ORDERS  
ENTER ON OR AFTER JAN. 1, 2016**

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES: .X = ±.05, .XX = ±.01, .XXX = ±.005, ANGULAR: ±.5°, FRACTIONS: ±1/64 BREAK SHARP EDGES - .015 X 45°. RADIUS SHARP FILLETS - .015 TO .031			SIGNATURES		DATE	<b>Perlick Corporation</b> <b>Milwaukee, Wisconsin</b> TITLE: <b>SOLID WOOD OVERLAY RESIDENTIAL DOORS W/LOCKS</b>		
MATERIAL:			DESIGNED JMP		11/10/2015			
			DRAWN JMP		11/10/2015			
			CHECKED		11/10/2015	REFERENCE:		
			QTY.:			PART NO.		
			FINISH:			DWG NO.		
						<b>68134A</b>		
						PURCHASE REC.:		SCALE = 1:5
						SHEET 15 OF 16		

THIS DOCUMENT / PUBLICATION / SOFTWARE / DRAWING CONTAINS PROPRIETARY INFORMATION WHICH IS THE PROPERTY OF THE PERLICK CORPORATION. IT MAY NOT BE REPRODUCED OR TRANSMITTED IN ANY FORM, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR USED IN ANY INFORMATION STORAGE, TRANSMISSION, OR RETRIEVAL SYSTEM, WITHOUT WRITTEN PERMISSION FROM THE PERLICK CORPORATION. COPYRIGHT 2001 PERLICK CORPORATION. ALL RIGHTS RESERVED.

RELEASE FOR PRODUCTION		
A	11/10/2015	JMP
REVISIONS		